

sgcUI for Delphi VCL Accessibility Conformance Report

International Edition, based on VPAT Version 2.5 INT

Name of Product/Version

sgcUI for Delphi VCL, sgcUI 2026.10

Report Date

October 2026

Product Description

sgcUI is a suite of user interface components for application developers. This report covers the accessibility layer of the sgcUI for Delphi VCL components: sgcGrid, sgcPivotGrid, sgcCharts, sgcGauges, sgcDashboard, sgcPlanner, sgcDiagram, sgcWizard, sgcNavigation, sgcToolbar, sgcEditors, sgcMaps. Platform: Delphi 7 to Delphi 13 and C++Builder 2007 to C++Builder 13, VCL applications on Windows (Win32 and Win64). The components expose their content to assistive technology through UI Automation fragment providers served from each control window (WM_GETOBJECT, and the InitUIAutomationProvider override on Delphi 13), with one provider code path for every Delphi version. They follow Windows high contrast, draw a visible focus indicator, offer keyboard alternatives for pointer operations and support right to left layouts and high DPI. Accessibility is on by default in every edition, including the Community edition.

Contact Information

eSeGeCe, info@esegece.com, <https://www.esegece.com>

Notes

- The product is a set of software components that developers place in their own applications. Each criterion is judged for what the components provide. Many criteria depend on how the application uses them (names of images, labels, colours, instructions, error handling); the remarks say where that is the developer's responsibility.
- Not covered by this report: the sgcPDF viewer control and the sgcReports preview control, which do not expose accessibility information in this release. The tagged PDF and PDF/UA output of the sgcPDF and sgcReports libraries is a document feature and is not evaluated here.
- The WCAG 2.1 tables list the conformance for each context of the International edition. The Web, Electronic Documents and Authoring Tool contexts are Not Applicable for every row: the product is non-web software.
- Rows that depend on how assistive technology presents the exposed information were verified with the NVDA 2026.2 screen reader on Windows (see Evaluation Methods). Narrator was not tested.

Evaluation Methods Used

- Review of the implementation of the accessibility layer against the design specification, product by product.
- Automated in process tests in the product QA suites: the providers are called directly in process and check names, roles, values, states, patterns, element trees, bounds (also under right to left layouts and at 100 to 200 percent DPI), keyboard alternatives, focus indicator rendering, high contrast rendering (reference images) and the zero cost rule when no client listens. Delphi: D7 and D13 Win32 and Win64 builds, C++Builder packages, Linux64 for the neutral units.
- Colour contrast of the theme colours measured with the WCAG relative luminance formula.
- Manual screen reader testing with NVDA 2026.2 on Windows, on every platform of this suite. Result for this report: VCL 79 checks passed and 0 failed, and the C++Builder build of the same components 79 passed and 0 failed.
- Inspection with Accessibility Insights for Windows and AxeWindows 2.4.2: scans were run on the test applications and all real defects found were fixed.
- Narrator was not tested. No other screen reader was tested.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards and guidelines:

Applicable standards and guidelines

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes), Level AA (Yes), Level AAA (No). Covered through the WCAG 2.1 tables.
Web Content Accessibility Guidelines 2.1	Level A (Yes), Level AA (Yes), Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (No), Level AA (No), Level AAA (No)
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017, corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services, V3.2.1 (2021-03)	Yes

Terms

Terms used in the Conformance Level information

Term	Definition
Supports	The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
Partially Supports	Some functionality of the product does not meet the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Products Covered and Notes per Product

Products covered and notes per product

Product	Exposed to assistive technology	Keyboard	High contrast	Notes
sgcGrid	Data grid with the Grid, Table and Selection patterns; header row, column headers, data rows, cells (GridItem, TableItem, Value, Toggle, Invoke), group rows, filter row, group panel, detail rows and summary cells	Cell navigation and selection, editing, filter popup (Alt+Down), column move (Alt+Shift+Left and Right), grouping (Ctrl+Shift+G and Ctrl+Shift+U). Column width resizing is pointer only	Yes. Under high contrast the progress cell draws no track (the value text is shown)	Supports
sgcPivotGrid	Pivot table with Grid and Table patterns, row and column headers (ExpandCollapse), data and total cells; the field list exposes its areas as lists and fields as list items (SelectedItem, Toggle)	Cell navigation, expand and collapse, field list moves (Ctrl+1 to Ctrl+4, Ctrl+Up and Ctrl+Down, Space, Del) as the alternative to dragging fields	Yes	Supports
sgcCharts	Chart root with the chart title and a generated description; series as lists, data points as list items with their values, legend, axes with their ranges, drawings	Point and series navigation, Enter activates a point. Zoom and pan by mouse and the financial drawing tools (trend lines and other annotations) have no keyboard alternative	Yes, series use system colours	Default light palette: four of the eight series colours are below 3:1 against white (see 1.4.11)
sgcGauges	Each gauge exposes its caption and value (RangeValue read only, or Value for digital, LED, clock and compass gauges); annunciator tiles as text elements	No interaction; not a tab stop by default (the application can set TabStop)	Yes	Supports

Product	Exposed to assistive technology	Keyboard	High contrast	Notes
sgcDashboard and KPI cards	Dashboard pane with its tiles as groups (title, "Tile i of n"), the hosted control of each tile below it; KPI cards expose title, value, unit and trend as text	Arrows between tiles, Enter into the tile, Ctrl+Shift+Arrows move a tile, Alt+Shift+Arrows resize it	Yes (tile chrome uses the theme colours, which follow high contrast; KPI accent and trend colours are replaced by system colours)	Supports
sgcPlanner (Scheduler, Timeline, Gantt, Kanban)	Scheduler and Timeline: days or lanes as lists, appointments and the focused time slot as list items. Gantt: tasks as a tree (ExpandCollapse) and dependencies as elements. Kanban: columns as lists, cards as list items	Item navigation, open, insert, delete; Ctrl+Arrows move and Ctrl+Shift+Arrows resize items; Gantt dependencies with Ctrl+K and Ctrl+Shift+K; Kanban card moves between columns	Yes (application colours of items are replaced by system colours and outlines)	Supports
sgcDiagram	Diagram pane with shapes, connectors and groups (SelectedItem, Invoke for text editing); the shape palette as a list whose items add the shape (Invoke)	Selection, move, nudge, resize (Alt+Shift+Arrows), links (Ctrl+K), palette Enter or Space. Connector bend points are edited with the pointer only	Yes	While the view is editable, Tab and Shift+Tab cycle the selection inside the view and Ctrl+Tab and Ctrl+Shift+Tab move the focus to the next and the previous control (see 2.1.2)
sgcWizard	Wizard pane, stepper as a tab list with steps as tab items (completed, optional, unavailable), button bar as a toolbar, pages as panes	Steps, button bar, Ctrl+Tab and Ctrl+Shift+Tab between steps	Yes	Supports
sgcNavigation	Navigation tree with groups (ExpandCollapse) and items (SelectedItem, Invoke, badge text in the name)	Up, Down, Home, End, Enter, Space, Left and Right collapse and expand	Yes	Supports
sgcToolbar and status bar	Toolbar with buttons (Invoke, shortcut as AcceleratorKey), toggles (Toggle), drop downs (ExpandCollapse), separators and the overflow button; status bar panels as text or progress bars	Left, Right, Home, End, Enter, Space, Down or Alt+Down opens a menu. The status bar is not a tab stop	Yes	Buttons that show only an icon need a caption or a Hint, otherwise their name is generic (developer responsibility)
sgcEditors	Each editor exposes the role of its kind (edit, spinner, slider, combo box, calendar), its name and value (writable Value and RangeValue when not read only); popups expose day cells, tokens, swatches and list items while open. Text editors embed a native edit control, which exposes its own text	The keys of the standard counterpart of each editor, Alt+Down or F4 opens popups, Del removes a token	Yes	UIA Text pattern (text attributes and caret navigation) is not implemented
sgcMaps	Map pane with a generated description, the markers list (SelectedItem, Invoke, ScrollItem), the layers list (Toggle) and the map image named with its centre and zoom	Arrows pan, the plus and minus keys zoom, Home, Page Up and Page Down between markers, Enter activates a marker	No. The map renderer (markers, chrome) has no high contrast branch; the map image is tile imagery from the provider	The visual content of the map image (streets, places) is not described beyond centre and zoom
Not covered by this report: sgcPDF viewer, sgcReports preview	These two viewer controls do not expose UI Automation information in this release (owner decision D6). The sgcPDF and sgcReports libraries themselves produce tagged PDF and PDF/UA documents, which is a document feature outside this report	Not evaluated	Not evaluated	Does Not Support (outside the scope of this report)

WCAG 2.1 Report

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility supported ways of using technology as documented in the WCAG 2.1 Conformance Requirements. For this product, a set of non-web software components, the criteria are applied as described in WCAG2ICT, EN 301 549 clause 11 and Section 508 E207.2.

Table 1: Success Criteria, Level A**Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content Also applies to: EN 301 549 Criteria: 9.1.1.1 (Web), 10.1.1.1 (Non-web document), 11.1.1.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	Figure components (charts, gauges, diagram, planner, dashboard, maps) expose a name and a generated text description, the same text the tagged print export uses, and their data as elements (points, shapes, items, markers). Limitation: the visual content of the sgcMaps map image is described only by its centre and zoom. Developer responsibility: icon only toolbar buttons need a caption or Hint, and images the application adds need a name (AccessibleName). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
1.2.1 Audio-only and Video-only (Prerecorded) Also applies to: EN 301 549 Criteria: 9.1.2.1 (Web), 10.1.2.1 (Non-web document), 11.1.2.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio or video.
1.2.2 Captions (Prerecorded) Also applies to: EN 301 549 Criteria: 9.1.2.2 (Web), 10.1.2.2 (Non-web document), 11.1.2.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio or video.
1.2.3 Audio Description or Media Alternative (Prerecorded) Also applies to: EN 301 549 Criteria: 9.1.2.3 (Web), 10.1.2.3 (Non-web document), 11.1.2.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio or video.
1.3.1 Info and Relationships Also applies to: EN 301 549 Criteria: 9.1.3.1 (Web), 10.1.3.1 (Non-web document), 11.1.3.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Structure is exposed through roles and the element tree: grids and pivot tables with the Grid and Table patterns and their column and row headers, lists, trees with levels, tab lists, toolbars and groups. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
1.3.2 Meaningful Sequence Also applies to: EN 301 549 Criteria: 9.1.3.2 (Web), 10.1.3.2 (Non-web document), 11.1.3.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Child elements are exposed in reading order (rows and cells in view order, tiles in reading order, shapes in z order), also under right to left layouts (verified by automated bounds tests). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
1.3.3 Sensory Characteristics Also applies to: EN 301 549 Criteria: 9.1.3.3 (Web), 10.1.3.3 (Non-web document), 11.1.3.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Built in names, descriptions and announcements do not rely on shape, colour, size, location or sound. Instructions written by the application are the developer's responsibility.
1.4.1 Use of Color Also applies to: EN 301 549 Criteria: 9.1.4.1 (Web), 10.1.4.1 (Non-web document), 11.1.4.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	Under high contrast, item and series colours set by the application are replaced by system colours with outlines. In the default light and dark themes, chart series, planner categories and grid formatting rules are distinguished by colour unless the developer adds markers, dash patterns, data labels or text; the same information is always exposed as text to assistive technology.
1.4.2 Audio Control Also applies to: EN 301 549 Criteria: 9.1.4.2 (Web), 10.1.4.2 (Non-web document), 11.1.4.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio.

Criteria	Conformance Level	Remarks and Explanations
2.1.1 Keyboard Also applies to: EN 301 549 Criteria: 9.2.1.1 (Web), 10.2.1.1 (Non-web document), 11.2.1.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	Every component is operable by keyboard, and keyboard alternatives exist for the pointer only operations of earlier versions: moving and resizing dashboard tiles, planner items and diagram shapes, moving Kanban cards, creating Gantt dependencies and diagram links, adding shapes from the palette, moving pivot fields and grid columns (verified by automated keyboard tests). Exceptions with no keyboard alternative: sgcGrid column width resizing, sgcCharts zoom and pan by mouse and the financial drawing tools, sgcDiagram connector bend points. Applications can offer these through the component API.
2.1.2 No Keyboard Trap Also applies to: EN 301 549 Criteria: 9.2.1.2 (Web), 10.2.1.2 (Non-web document), 11.2.1.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Tab and Shift+Tab move the focus out of every component, with one deliberate exception that has a documented exit: while an sgcDiagram view is editable, Tab and Shift+Tab cycle the selection and Ctrl+Tab and Ctrl+Shift+Tab move the focus to the next and the previous control (see the Diagram keyboard help topic). A read only diagram view does not capture Tab. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
2.1.4 Character Key Shortcuts Also applies to: EN 301 549 Criteria: 9.2.1.4 (Web), 10.2.1.4 (Non-web document), 11.2.1.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	No single character shortcut is active unless the component has the focus (for example the plus and minus keys in sgcMaps and sgcPivotGrid), which the criterion allows.
2.2.1 Timing Adjustable Also applies to: EN 301 549 Criteria: 9.2.2.1 (Web), 10.2.2.1 (Non-web document), 11.2.2.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components impose no time limits.
2.2.2 Pause, Stop, Hide Also applies to: EN 301 549 Criteria: 9.2.2.2 (Web), 10.2.2.2 (Non-web document), 11.2.2.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Built in animations (gauge value transitions, chart animations) are short transitions that end on their own. Content that updates automatically (live data in grids and charts) is driven by the application, which decides how to pause it; change highlighting in sgcGrid is configured by the application.
2.3.1 Three Flashes or Below Threshold Also applies to: EN 301 549 Criteria: 9.2.3.1 (Web), 10.2.3.1 (Non-web document), 11.2.3.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	The components do not flash by themselves. sgcGrid change highlighting runs once per data change; applications that update large areas more than three times per second should turn it off.
2.4.1 Bypass Blocks Also applies to: EN 301 549 Criteria: 9.2.4.1 (Web), 10.2.4.1 (Non-web document), 11.2.4.1 (Software, no requirement: void in EN 301 549), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	Applies to web pages. For non-web software it is not required by Section 508 (E207.2) and is void in EN 301 549 clause 11.
2.4.2 Page Titled Also applies to: EN 301 549 Criteria: 9.2.4.2 (Web), 10.2.4.2 (Non-web document), 11.2.4.2 (Software, no requirement: void in EN 301 549), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components do not create titled windows; window titles are set by the application.
2.4.3 Focus Order Also applies to: EN 301 549 Criteria: 9.2.4.3 (Web), 10.2.4.3 (Non-web document), 11.2.4.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Tab order follows the application. Inside a component the arrow keys move in reading order (visual order under right to left layouts), and focus never moves on its own. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
2.4.4 Link Purpose (In Context) Also applies to: EN 301 549 Criteria: 9.2.4.4 (Web), 10.2.4.4 (Non-web document), 11.2.4.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components render no links of their own; link text shown in cells is application data.

Criteria	Conformance Level	Remarks and Explanations
2.5.1 Pointer Gestures Also applies to: EN 301 549 Criteria: 9.2.5.1 (Web), 10.2.5.1 (Non-web document), 11.2.5.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Every function is available with single pointer actions or the keyboard; no multipoint or path based gesture is required.
2.5.2 Pointer Cancellation Also applies to: EN 301 549 Criteria: 9.2.5.2 (Web), 10.2.5.2 (Non-web document), 11.2.5.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Toolbar buttons and wizard steps act when the pointer is released over the same item, so moving away before release cancels the action. Pressing the pointer only selects or starts a drag, and a dashboard tile drag can be cancelled with Esc.
2.5.3 Label in Name Also applies to: EN 301 549 Criteria: 9.2.5.3 (Web), 10.2.5.3 (Non-web document), 11.2.5.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	The accessible name of every element is taken from its visible caption, title or header text. When the developer sets AccessibleName it should contain the visible label. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
2.5.4 Motion Actuation Also applies to: EN 301 549 Criteria: 9.2.5.4 (Web), 10.2.5.4 (Non-web document), 11.2.5.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	No function is operated by device motion.
3.1.1 Language of Page Also applies to: EN 301 549 Criteria: 9.3.1.1 (Web), 10.3.1.1 (Non-web document), 11.3.1.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The language of the user interface is set by the application and the operating system; the components expose no language of their own.
3.2.1 On Focus Also applies to: EN 301 549 Criteria: 9.3.2.1 (Web), 10.3.2.1 (Non-web document), 11.3.2.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Moving the focus to a component or an element never changes the context; Enter is needed to move into a dashboard tile or open an item.
3.2.2 On Input Also applies to: EN 301 549 Criteria: 9.3.2.2 (Web), 10.3.2.2 (Non-web document), 11.3.2.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Changing a value, a selection or a toggle does not change the context. Wizard steps change only on an explicit action.
3.3.1 Error Identification Also applies to: EN 301 549 Criteria: 9.3.3.1 (Web), 10.3.3.1 (Non-web document), 11.3.3.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components do not validate user input on their own; error detection and error messages are the application's responsibility.
3.3.2 Labels or Instructions Also applies to: EN 301 549 Criteria: 9.3.3.2 (Web), 10.3.3.2 (Non-web document), 11.3.3.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Every editor and component exposes a name (AccessibleName, caption, title or header). Labels and instructions for the application's forms are the developer's responsibility.
4.1.1 Parsing Also applies to: EN 301 549 Criteria: 9.4.1.1 (Web), 10.4.1.1 (Non-web document), 11.4.1.1 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components expose an object model through the platform accessibility API, not markup.

Criteria	Conformance Level	Remarks and Explanations
4.1.2 Name, Role, Value Also applies to: EN 301 549 Criteria: 9.4.1.2 (Web), 10.4.1.2 (Non-web document), 11.4.1.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Every component and virtual element exposes name, role, value, states and the applicable patterns through UI Automation fragment providers served from each control window (WM_GETOBJECT, and the InitUIAutomationProvider override on Delphi 13), with one provider code path for every Delphi version, and raises focus, selection, property and structure change notifications. Verified by automated in process tests of every product. Verified with NVDA 2026.2 on Windows. Narrator was not tested.

Table 2: Success Criteria, Level AA**Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) Also applies to: EN 301 549 Criteria: 9.1.2.4 (Web), 10.1.2.4 (Non-web document), 11.1.2.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio or video.
1.2.5 Audio Description (Prerecorded) Also applies to: EN 301 549 Criteria: 9.1.2.5 (Web), 10.1.2.5 (Non-web document), 11.1.2.5 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components play no audio or video.
1.3.4 Orientation Also applies to: EN 301 549 Criteria: 9.1.3.4 (Web), 10.1.3.4 (Non-web document), 11.1.3.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	The components do not restrict the display orientation.
1.3.5 Identify Input Purpose Also applies to: EN 301 549 Criteria: 9.1.3.5 (Web), 10.1.3.5 (Non-web document), 11.1.3.5 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The platform accessibility API has no input purpose property, and the editors collect no user information by themselves.
1.4.3 Contrast (Minimum) Also applies to: EN 301 549 Criteria: 9.1.4.3 (Web), 10.1.4.3 (Non-web document), 11.1.4.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	Measured theme colours: text on background 15.8:1 (light) and 14.5:1 (dark), muted text 5.3:1 (light) and 7.0:1 (dark), tile header text 14.8:1. Under high contrast all colours are system colours. Limitations: the light accent colour is 4.4:1 on white where a product uses it for text, and colours specific to each product (data labels on series colours, application colours) were not measured individually.
1.4.4 Resize Text Also applies to: EN 301 549 Criteria: 9.1.4.4 (Web), 10.1.4.4 (Non-web document), 11.1.4.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Text is drawn at the font size the application sets through each component's font properties and scales with the monitor DPI (automated DPI tests). Layout at large sizes depends on the space the application gives the component.
1.4.5 Images of Text Also applies to: EN 301 549 Criteria: 9.1.4.5 (Web), 10.1.4.5 (Non-web document), 11.1.4.5 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	The components draw text as text, never as images of text.
1.4.10 Reflow Also applies to: EN 301 549 Criteria: 9.1.4.10 (Web), 10.1.4.10 (Non-web document), 11.1.4.10 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Content that needs a two dimensional layout (grids, pivot tables, charts, diagrams, Gantt charts, maps) scrolls in both directions, which the criterion allows; the toolbar moves items that do not fit to an overflow menu.

Criteria	Conformance Level	Remarks and Explanations
1.4.11 Non-text Contrast Also applies to: EN 301 549 Criteria: 9.1.4.11 (Web), 10.1.4.11 (Non-web document), 11.1.4.11 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	The focus ring has at least 3:1 against the adjacent background (automated test) and under high contrast it uses the system highlight colour. Limitations in the default themes: component borders are 1.5:1 (light) and grid lines 1.2:1 (light) and 1.3:1 (dark); in the light series palette four of eight colours are below 3:1 on white (2.2:1 to 2.8:1). The developer can choose colours, and the high contrast theme meets the criterion.
1.4.12 Text Spacing Also applies to: EN 301 549 Criteria: 9.1.4.12 (Web), 10.1.4.12 (Non-web document), 11.1.4.12 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The platforms offer the user no mechanism to override text spacing in desktop applications.
1.4.13 Content on Hover or Focus Also applies to: EN 301 549 Criteria: 9.1.4.13 (Web), 10.1.4.13 (Non-web document), 11.1.4.13 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Partially Supports Authoring Tool: Not Applicable	Chart tooltips and crosshair labels follow the pointer or the focused point; they are not hoverable. The value they show is also exposed as the value of the focused point. Standard hints use the platform hint window.
2.4.5 Multiple Ways Also applies to: EN 301 549 Criteria: 9.2.4.5 (Web), 10.2.4.5 (Non-web document), 11.2.4.5 (Software, no requirement: void in EN 301 549), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	Applies to sets of web pages. Not required for non-web software by Section 508 (E207.2) and void in EN 301 549 clause 11.
2.4.6 Headings and Labels Also applies to: EN 301 549 Criteria: 9.2.4.6 (Web), 10.2.4.6 (Non-web document), 11.2.4.6 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Column headers, row headers, step captions, tile titles and group captions are exposed with header and group roles. Their text is provided by the application.
2.4.7 Focus Visible Also applies to: EN 301 549 Criteria: 9.2.4.7 (Web), 10.2.4.7 (Non-web document), 11.2.4.7 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Every interactive component draws a focus indicator on the focused element (cell, point, tile, item, shape, step, marker), also under high contrast (automated rendering tests). Gauges and the status bar draw it when the application makes them tab stops.
3.1.2 Language of Parts Also applies to: EN 301 549 Criteria: 9.3.1.2 (Web), 10.3.1.2 (Non-web document), 11.3.1.2 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components expose no language of their own; text language is the application's.
3.2.3 Consistent Navigation Also applies to: EN 301 549 Criteria: 9.3.2.3 (Web), 10.3.2.3 (Non-web document), 11.3.2.3 (Software, no requirement: void in EN 301 549), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	Applies to sets of web pages. Not required for non-web software by Section 508 (E207.2) and void in EN 301 549 clause 11.
3.2.4 Consistent Identification Also applies to: EN 301 549 Criteria: 9.3.2.4 (Web), 10.3.2.4 (Non-web document), 11.3.2.4 (Software, no requirement: void in EN 301 549), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	Applies to sets of web pages. Not required for non-web software by Section 508 (E207.2) and void in EN 301 549 clause 11.
3.3.3 Error Suggestion Also applies to: EN 301 549 Criteria: 9.3.3.3 (Web), 10.3.3.3 (Non-web document), 11.3.3.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	The components do not validate user input on their own; suggestions are the application's responsibility.

Criteria	Conformance Level	Remarks and Explanations
3.3.4 Error Prevention (Legal, Financial, Data) Also applies to: EN 301 549 Criteria: 9.3.3.4 (Web), 10.3.3.4 (Non-web document), 11.3.3.4 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Authoring Tool: Not Applicable	Legal, financial and data commitments are made by the application.
4.1.3 Status Messages Also applies to: EN 301 549 Criteria: 9.4.1.3 (Web), 10.4.1.3 (Non-web document), 11.4.1.3 (Open Functionality Software), 11.8.2 (Authoring Tool), 12.1.2 (Product Docs), 12.2.4 (Support Docs). Revised Section 508: 501 (Web)(Software), 504.2 (Authoring Tool), 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Supports Authoring Tool: Not Applicable	Status changes (search results in sgcGrid, wizard step changes, planner period changes, moved cards and tiles) are exposed without moving the focus: status text is raised with UiaRaiseNotificationEvent on Windows 10 version 1709 and later, and as a LiveRegionChanged event with the text on the root element on older Windows versions. Verified with NVDA 2026.2 on Windows. Narrator was not tested.

Table 3: Success Criteria, Level AAA

Notes: Not evaluated: the conformance target is WCAG 2.1 Level AA (EN 301 549 V3.2.1).

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	The components expose their content, structure and state through the platform accessibility API (see 4.1.2). Limitations: the sgcMaps map image is described by centre and zoom only; the pointer only operations listed under 2.1.1. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
302.2 With Limited Vision	Partially Supports	High contrast is followed (Windows high contrast is followed automatically while a control uses the default theme (utDefault), and the new utHighContrast theme forces it), text scales with the font and DPI, and every focused element shows a focus ring. Limitations of the default themes are listed under 1.4.3 and 1.4.11. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
302.3 Without Perception of Color	Partially Supports	Information is never conveyed by colour alone to assistive technology, and high contrast replaces application colours with outlines; in the default themes chart series and categories rely on colour unless the developer adds markers or labels (1.4.1).
302.4 Without Hearing	Not Applicable	The components produce no audio.
302.5 With Limited Hearing	Not Applicable	The components produce no audio.
302.6 Without Speech	Not Applicable	The components require no speech input.
302.7 With Limited Manipulation	Partially Supports	Every function except those listed under 2.1.1 can be operated by keyboard alone, no gesture or simultaneous pointer action is needed, and key combinations work with StickyKeys.
302.8 With Limited Reach and Strength	Supports	Software components operated by keyboard or pointer; no physical reach or strength is involved.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	One keyboard model across the suite (documented in the help), no time limits, no automatic context changes. The content shown is the application's.

Chapter 4: Hardware

Notes: Not applicable: the product is a set of software components.

Chapter 5: Software

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope, Incorporation of WCAG 2.0 AA	See WCAG 2.1 section	See the WCAG 2.1 tables, Software context.
502.2.1 User Control of Accessibility Features	Not Applicable	Applies to platform software. The components are not platform software.
502.2.2 No Disruption of Accessibility Features	Supports	The components do not disable or override platform accessibility features (high contrast, StickyKeys, Magnifier, Narrator) and follow high contrast.
502.3.1 Object Information	Supports	Name, role, states, bounds, help text and automation id of every component and virtual element are exposed through UI Automation fragment providers served from each control window (WM_GETOBJECT, and the InitUIAutomationProvider override on Delphi 13), with one provider code path for every Delphi version. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.2 Modification of Object Information	Supports	States the user can change are settable through patterns: selection (SelectionItem), expansion (ExpandCollapse), checked state (Toggle) and focus. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.3 Row, Column, and Headers	Supports	sgcGrid, sgcPivotGrid and the calendar of sgcEditors expose the Grid and Table patterns with column and row headers; cells expose GridItem and TableItem. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.4 Values	Supports	Values are exposed with the Value and RangeValue patterns (editor values, cell text, gauge values, data point values, progress panels). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.5 Modification of Values	Supports	Editable values (editors, editable grid cells, sliders, spinners, ratings) can be set through the Value and RangeValue patterns when not read only. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.6 Label Relationships	Partially Supports	Names come from AccessibleName, captions, titles and headers, and grid cells are related to their headers (1.3.1). No LabeledBy relationship to a separate label control is exposed; the developer sets AccessibleName instead. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.7 Hierarchical Relationships	Supports	Parent and child relationships are exposed through the element tree (rows and cells, series and points, groups and items, tiles and hosted controls). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.8 Text	Partially Supports	Text is exposed as names and values. The UIA Text pattern (text attributes, caret and selection inside editors and diagram labels) is not implemented. The VCL text editors embed a native edit control that exposes its own text. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.9 Modification of Text	Supports	Editable text can be set through the Value pattern. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.10 List of Actions	Supports	Available actions are advertised as patterns (Invoke, Toggle, ExpandCollapse, SelectionItem, ScrollItem where the platform has it). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.11 Actions on Objects	Supports	Every advertised pattern executes the same action as the pointer or keyboard (verified by automated tests). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.12 Focus Cursor	Supports	The focused element is exposed (HasKeyboardFocus, focus changed events, bounds) and a focus ring is drawn on it. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.13 Modification of Focus Cursor	Supports	SetFocus moves the focus to focusable elements (cells, points, tiles, items, shapes, steps, markers); the focus ring follows. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.3.14 Event Notification	Supports	Focus, selection, property, structure and status changes are raised through the platform API (status text is raised with UiaRaiseNotificationEvent on Windows 10 version 1709 and later, and as a LiveRegionChanged event with the text on the root element on older Windows versions), and nothing is computed while no client listens. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
502.4 Platform Accessibility Features	Supports	The components take keyboard input through the platform, so StickyKeys, FilterKeys, ToggleKeys and key repeat work unchanged.

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences	Partially Supports	Windows high contrast is followed automatically while a control uses the default theme (utDefault), and the new utHighContrast theme forces it, and sizes follow the monitor DPI. Fonts are application properties, so the system text size setting is applied only when the application maps it to the component fonts.
503.3 Alternative User Interfaces	Not Applicable	The components provide no alternative user interface.
503.4.1 Caption Controls	Not Applicable	The components play no video.
503.4.2 Audio Description Controls	Not Applicable	The components play no video.
504.2 Content Creation or Editing	Not Applicable	The components are not authoring tools.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	The components are not authoring tools (see EN 301 549 5.4 for export).
504.2.2 PDF Export	Not Applicable	The components are not authoring tools. Their print export produces tagged PDF (see EN 301 549 5.4).
504.3 Prompts	Not Applicable	The components are not authoring tools.
504.4 Templates	Not Applicable	The components are not authoring tools.

Chapter 6: Support Documentation and Services

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell, no response required	
602.2 Accessibility and Compatibility Features	Supports	The sgcUI help has an Accessibility chapter (Accessibility, Screen Readers, High Contrast, Keyboard) and a keyboard topic for every product, in 12 languages.
602.3 Electronic Support Documentation	Partially Supports	The help is published as HTML pages, CHM and PDF with headings and text alternatives. It has not been audited against WCAG 2.1 AA for this report.
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation is electronic.
603.2 Information on Accessibility and Compatibility Features	Supports	The support team answers accessibility questions through the helpdesk and info@esegece.com.
603.3 Accommodation of Communication Needs	Supports	Support is given in writing (helpdesk and email).

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	The components expose their content, structure and state through the platform accessibility API (see 4.1.2). Limitations: the sgcMaps map image is described by centre and zoom only; the pointer only operations listed under 2.1.1. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
4.2.2 Usage with limited vision	Partially Supports	High contrast is followed (Windows high contrast is followed automatically while a control uses the default theme (utDefault), and the new utHighContrast theme forces it), text scales with the font and DPI, and every focused element shows a focus ring. Limitations of the default themes are listed under 1.4.3 and 1.4.11. Verified with NVDA 2026.2 on Windows. Narrator was not tested.

Criteria	Conformance Level	Remarks and Explanations
4.2.3 Usage without perception of colour	Partially Supports	Information is never conveyed by colour alone to assistive technology, and high contrast replaces application colours with outlines; in the default themes chart series and categories rely on colour unless the developer adds markers or labels (1.4.1).
4.2.4 Usage without hearing	Not Applicable	The components produce no audio.
4.2.5 Usage with limited hearing	Not Applicable	The components produce no audio.
4.2.6 Usage with no or limited vocal capability	Not Applicable	The components require no speech input.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Every function except those listed under 2.1.1 can be operated by keyboard alone, no gesture or simultaneous pointer action is needed, and key combinations work with StickyKeys.
4.2.8 Usage with limited reach	Supports	Software components operated by keyboard or pointer; no physical reach or strength is involved.
4.2.9 Minimize photosensitive seizure triggers	Supports	The components do not flash by themselves (2.3.1).
4.2.10 Usage with limited cognition, language or learning	Supports	One keyboard model across the suite (documented in the help), no time limits, no automatic context changes. The content shown is the application's.
4.2.11 Privacy	Not Applicable	The components add no accessibility feature that handles private data; what is displayed is decided by the application.

Chapter 5: Generic Requirements

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1.2.1 Closed functionality	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.2.2 Assistive technology	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.1 General (non-visual access)	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.2 Auditory output delivery including speech	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.3 Auditory output correlation	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.4 Speech output user control	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.5 Speech output automatic interruption	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.6 Speech output for non-text content	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.7 Speech output for video information	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.8 Masked entry	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.9 Private access to personal data	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.10 Non-interfering audio output	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.11 Private listening volume	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.12 Speaker volume	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.13 Volume reset	Not Applicable	The components have open functionality: they work with assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.14 Spoken languages	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.15 Non-visual error identification	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.4 Functionality closed to text enlargement	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.5 Visual output for auditory information	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.6.1 Closed functionality (operation without keyboard interface)	Not Applicable	The components have open functionality: they work with assistive technology.
5.1.6.2 Input focus	Not Applicable	The components have open functionality: they work with assistive technology.
5.2 Activation of accessibility features	Supports	The accessibility layer is on by default in every edition; one global switch can turn it off.
5.3 Biometrics	Not Applicable	The components use no biometrics.
5.4 Preservation of accessibility information during conversion	Partially Supports	The print and PDF export of the figure products produces tagged PDF whose alternative text comes from the same generator as the default accessible description. An AccessibleDescription set by the application is not used by the export.
5.5.1 Means of operation	Not Applicable	Applies to hardware operable parts.
5.5.2 Operable parts discernibility	Not Applicable	Applies to hardware operable parts.
5.6.1 Tactile or auditory status	Not Applicable	Applies to hardware locking or toggle controls.
5.6.2 Visual status	Supports	Toggle buttons of sgcToolbar show their state visually and expose it with the Toggle pattern.
5.7 Key repeat	Not Applicable	Key repeat is provided by the platform; the components add none.
5.8 Double-strike key acceptance	Not Applicable	Keyboard input is handled by the platform (FilterKeys).
5.9 Simultaneous user actions	Supports	No function needs simultaneous pointer actions; key combinations work with StickyKeys.

Chapter 6: ICT with Two-Way Voice Communication

Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not Applicable	The components provide no two way voice communication.
6.2.1.1 RTT communication	Not Applicable	The components provide no two way voice communication.
6.2.1.2 Concurrent voice and text	Not Applicable	The components provide no two way voice communication.
6.2.2.1 Visually distinguishable display	Not Applicable	The components provide no two way voice communication.
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	The components provide no two way voice communication.
6.2.3 Interoperability	Not Applicable	The components provide no two way voice communication.
6.2.4 RTT responsiveness	Not Applicable	The components provide no two way voice communication.
6.3 Caller ID	Not Applicable	The components provide no two way voice communication.
6.4 Alternatives to voice-based services	Not Applicable	The components provide no two way voice communication.
6.5.2 Resolution	Not Applicable	The components provide no two way voice communication.
6.5.3 Frame rate	Not Applicable	The components provide no two way voice communication.
6.5.4 Synchronization between audio and video	Not Applicable	The components provide no two way voice communication.

Criteria	Conformance Level	Remarks and Explanations
6.5.5 Visual indicator of audio with video	Not Applicable	The components provide no two way voice communication.
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	The components provide no two way voice communication.
6.6 Alternatives to video-based services	Not Applicable	The components provide no two way voice communication.

Chapter 7: ICT with Video Capabilities

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1.1 Captioning playback	Not Applicable	The components play no video.
7.1.2 Captioning synchronization	Not Applicable	The components play no video.
7.1.3 Preservation of captioning	Not Applicable	The components play no video.
7.1.4 Captions characteristics	Not Applicable	The components play no video.
7.1.5 Spoken subtitles	Not Applicable	The components play no video.
7.2.1 Audio description playback	Not Applicable	The components play no video.
7.2.2 Audio description synchronization	Not Applicable	The components play no video.
7.2.3 Preservation of audio description	Not Applicable	The components play no video.
7.3 User controls for captions and audio description	Not Applicable	The components play no video.

Chapter 8: Hardware

Notes: Not applicable: the product is a set of software components.

Chapter 9: Web

Notes: The components are not web content. The WCAG 2.1 criteria are applied to them as software (clause 11), see the WCAG 2.1 section.

Chapter 10: Non-Web Documents

Notes: The components are not documents. Their documentation is covered in chapter 12.

Chapter 11: Software

Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell, no response required	
11.1.1.1 to 11.4.1.3 WCAG based software requirements	See WCAG 2.1 section	See the WCAG 2.1 tables, Software context.
11.5.1 Closed functionality	Not Applicable	The components have open functionality.
11.5.2.1 Platform accessibility service support for software that provides a user interface	Not Applicable	Applies to platform software.
11.5.2.2 Platform accessibility service support for assistive technologies	Not Applicable	Applies to platform software.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.3 Use of accessibility services	Supports	The components use the documented platform accessibility services: UI Automation fragment providers served from each control window (WM_GETOBJECT, and the InitUIAutomationProvider override on Delphi 13), with one provider code path for every Delphi version. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.4 Assistive technology	Not Applicable	The components are not assistive technology.
11.5.2.5 Object information	Supports	Name, role, states, bounds, help text and automation id of every component and virtual element are exposed through UI Automation fragment providers served from each control window (WM_GETOBJECT, and the InitUIAutomationProvider override on Delphi 13), with one provider code path for every Delphi version. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.6 Row, column, and headers	Supports	sgcGrid, sgcPivotGrid and the calendar of sgcEditors expose the Grid and Table patterns with column and row headers; cells expose GridItem and TableItem. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.7 Values	Supports	Values are exposed with the Value and RangeValue patterns (editor values, cell text, gauge values, data point values, progress panels). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.8 Label relationships	Partially Supports	Names come from AccessibleName, captions, titles and headers, and grid cells are related to their headers (1.3.1). No LabeledBy relationship to a separate label control is exposed; the developer sets AccessibleName instead. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.9 Parent-child relationships	Supports	Parent and child relationships are exposed through the element tree (rows and cells, series and points, groups and items, tiles and hosted controls). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.10 Text	Partially Supports	Text is exposed as names and values. The UIA Text pattern (text attributes, caret and selection inside editors and diagram labels) is not implemented. The VCL text editors embed a native edit control that exposes its own text. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.11 List of available actions	Supports	Available actions are advertised as patterns (Invoke, Toggle, ExpandCollapse, SelectionItem, ScrollItem where the platform has it). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.12 Execution of available actions	Supports	Every advertised pattern executes the same action as the pointer or keyboard (verified by automated tests). Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.13 Tracking of focus and selection attributes	Supports	The focused element is exposed (HasKeyboardFocus, focus changed events, bounds) and a focus ring is drawn on it. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.14 Modification of focus and selection attributes	Supports	SetFocus moves the focus to focusable elements (cells, points, tiles, items, shapes, steps, markers); the focus ring follows. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.15 Change notification	Supports	Focus, selection, property, structure and status changes are raised through the platform API (status text is raised with UiaRaiseNotificationEvent on Windows 10 version 1709 and later, and as a LiveRegionChanged event with the text on the root element on older Windows versions), and nothing is computed while no client listens. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.16 Modifications of states and properties	Supports	States the user can change are settable through patterns: selection (SelectionItem), expansion (ExpandCollapse), checked state (Toggle) and focus. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.5.2.17 Modifications of values and text	Supports	Editable values (editors, editable grid cells, sliders, spinners, ratings) can be set through the Value and RangeValue patterns when not read only. Verified with NVDA 2026.2 on Windows. Narrator was not tested.
11.6.1 User control of accessibility features	Not Applicable	Applies to platform software.
11.6.2 No disruption of accessibility features	Supports	The components do not disable or override platform accessibility features and follow high contrast.
11.6.3 Void	Not Applicable	Void clause.
11.6.4 Void	Not Applicable	Void clause.
11.6.5 Void	Not Applicable	Void clause.

Criteria	Conformance Level	Remarks and Explanations
11.7 User preferences	Partially Supports	Windows high contrast is followed automatically while a control uses the default theme (utDefault), and the new utHighContrast theme forces it, and sizes follow the monitor DPI. Fonts are application properties, so the system text size setting is applied only when the application maps it to the component fonts.
11.8.1 Content technology	Not Applicable	The components are not authoring tools.
11.8.2 Accessible content creation	Not Applicable	The components are not authoring tools.
11.8.3 Preservation of accessibility information in transformations	Not Applicable	The components are not authoring tools (see 5.4 for export).
11.8.4 Repair assistance	Not Applicable	The components are not authoring tools.
11.8.5 Templates	Not Applicable	The components are not authoring tools.

Chapter 12: Documentation and Support Services

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features	Supports	The sgcUI help has an Accessibility chapter (Accessibility, Screen Readers, High Contrast, Keyboard) and a keyboard topic for every product, in 12 languages.
12.1.2 Accessible documentation	Partially Supports	The help is published as HTML pages, CHM and PDF with headings and text alternatives. It has not been audited against WCAG 2.1 AA for this report.
12.2.2 Information on accessibility and compatibility features	Supports	The support team answers accessibility questions through the helpdesk and info@esegece.com.
12.2.3 Effective communication	Supports	Support is given in writing (helpdesk and email).
12.2.4 Accessible documentation	Partially Supports	The help is published as HTML pages, CHM and PDF with headings and text alternatives. It has not been audited against WCAG 2.1 AA for this report.

Chapter 13: ICT Providing Relay or Emergency Service Access

Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and Explanations
13.1.2 Text relay services	Not Applicable	The components provide no relay or emergency service access.
13.1.3 Sign relay services	Not Applicable	The components provide no relay or emergency service access.
13.1.4 Lip-reading relay services	Not Applicable	The components provide no relay or emergency service access.
13.1.5 Captioned telephony services	Not Applicable	The components provide no relay or emergency service access.
13.1.6 Speech to speech relay services	Not Applicable	The components provide no relay or emergency service access.
13.2 Access to relay services	Not Applicable	The components provide no relay or emergency service access.
13.3 Access to emergency services	Not Applicable	The components provide no relay or emergency service access.

Legal Disclaimer

The information in this report is provided by eSeGeCe as of October 2026. "Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI).